

LAB UPRIGHT QUESTIONNAIRE




Grand Stands
Ergonomic Workstation Solutions


(Please check all applicable box and fill in dimensions)

☐ SINGLE (wrap around
brackets will fit)

☐ SIDE BY SIDE (require flush
mount brackets)



CHANNEL / T-SLOT MOUNT UPRIGHT



C1) UPRIGHT WIDTH _____


C2) CENTER OF CHANNEL TO END OF UPRIGHT _____

C3) CHANNEL DEPTH _____

C4) WIDTH OF CHANNEL OPENING _____

SLOTTED UPRIGHTS

Top View




GAUGE OF STEEL _____

Depth of upright tube _____

Width of upright tube _____

Single Slot ☐




1A) DISTANCE BOTTOM OF SLOT TO BOTTOM OF SLOT -VERTICAL ____

1B) SLOT WIDTH _____

1C) SLOT HEIGHT _____

1D) UPRIGHT WIDTH _____

Dual Slot ☐



2A) DISTANCE CENTER TO CENTER—HORIZONTAL _____

2B) DISTANCE BOTTOM OF SLOT TO BOTTOM OF SLOT -VERTICAL ____

2C) SLOT WIDTH _____

2D) SLOT HEIGHT _____

2E) UPRIGHT WIDTH _____